### 各式研磨劑、抛光劑

#### **GRINDING COMPOUNDS**, POLISHING COMPOUNDS

外觀 APPEARANCE	編號 NUMBER	名稱 NAME	包装 PACKAGE	用途 PURPOSE
	CD-35	消泡劑 BUBBLE ELIMINATION COMPOUND	30KGS/桶	消除各式研磨劑所產生之泡沫。 To eliminate all kinds of bubbles generate from different compounds
	CD-50	粗磨劑 ROUGH GRINDING COMPOUND	50KGS/桶	各類金屬粗磨、清潔用。 Used for metal rough grinding and cleaning.
	CD-100	鋅光澤劑 ZINC POLISHING COMPOUND	60KGS/桶	各式鋅合金、金屬拋光。 Used for zinc alloy and metal polishing.
	CD-200	鋁光澤劑 ALUMINUM POLISHING COMPOUND	50KGS/桶	各式鋁合金、金屬拋光。 Used for aluminum alloy and metal polishing.
	CD-300	不銹鋼光澤劑 STAINLESS STEEL POLISHING COMPOUND	30KGS/桶	不鏽鋼金屬抛光。 Used for polishing stainless steel
	CD-350	洗珠劑 STEEL BALL CLEANING COMPOUND	30KGS/桶	鋼珠洗淨抛光 Used for cleaning and polishing steel balls.
	CD-500	金油 CLEANING COMPOUND	30KGS/桶	鐵類金屬抛光添加劑 Iron kinds of metal polishing compound
	CD-550	鋁前處理劑 ALUMINUM FINISHING COMPOUND	25KGS/桶	鋁金屬抛光前處理劑 Aluminum kinds of metal finishing compound
	CD-580	金屬研磨劑 METAL GRINDING COMPOUND	30KGS/桶	各類金屬細研磨添加劑 All kinds of metal fine grinding compound
	CD-600	研磨抛光劑 GRINDING POLISHING COMPOUND	30KGS/桶	各類金屬拋光用 All kinds of metal polishing compound
	CD-602	防銹劑 RUSTINESS PREVENTION COMPOUND	25KGS/桶	水性防銹劑 Used to prevent rustiness (Water type).
	CD-910	防銹粉 RUSTINESS PREVENTION POWDER	50KGS/桶	鐵類及鋼珠防銹用 Used to prevent rustiness for iron types and steel balls.

各類金屬表面處理劑及各種化工原料。

#### 各式研磨石、抛光石 ABRASIVE STONES, POLISHING STONES

形狀	編號	大小	規格	用途		
APPEARANCE	NUMBER	SIZE	DIMENSION	PURPOSE		
	PABW	65	$65\!\times\!65\pm2$	重切削用 Medium Finish	適用於去倒角、去毛邊 (軟材質)。	
		60	$60 \times 60 \pm 2$		Suitable for film removal, debarring	
		50	$50 \times 50 \; \pm \; 2$		of casting parts. (Soft material)	
		45	45×45 ± 2	中切削用	適用於去毛邊、細磨 (軟材質), 一般鋅、鋁用。	
		35	$35 \times 35 \pm 2$	Medium Finish	Suitable for debarring of casting parts and fine finishing. (Soft material) Used for zinc	
		30	$30\times30\pm1.5$		and aluminum.	
		25	$25\!\times\!25\pm1.5$		適用於去拋光、完成 (軟材質),	
		20	$20 \times 20 \pm 1.5$	輕切削用	輕、粗磨,電鍍前表面細磨。	
		15	15×15 ± 1	Fine Finish	Suitable for polishing and finishing	
		10	10×10 ± 1		(Soft material)	
	TMW	35	35 × 35 or 35 × 30		適用於去倒角、去毛邊,	
		30	30 × 30 or 30 × 25	重切削用 Medium Finish		
		25	25 × 25 or 25 × 20		casting parts, iron or stainless medium finish.	
		20	20 × 20 or 20 × 15			
		15	15 × 15 or 15 × 12	中切削用	適用於去毛邊,細磨。	
A STATE OF THE PARTY OF THE PAR		10	10 × 10 or 10 × 8			
		8	8×8 or 8×6	Medium Finish	Suitable for debarring of casting parts and	
		6	6×6 or 6×4	Woodan Timon	fine finishing.	
-		3	3×3			
	ТМВ	20	$20\times20$ or $20\times15$			
		15	$15\times15$ or $15\times12$		耐磨耗,適用各種材質。	
		10	$10\times10$ or $10\times8$	細磨光澤用	Endure for grinding consuming and suitable	
		8	$8 \times 8$ or $8 \times 6$	Glossy Finish	for all kinds of materials.	
		6	$6 \times 6$ or $6 \times 4$			
		3	3×3			
	PBO	30	32×65	重切削用 Medium Finish	適用去倒角、毛邊。 Suitable for film removal, debarring of casting parts.	
		22	22×45	中切削用 Medium Finish	適用去毛邊、細磨。 Suitable for debarring of casting parts and	
		16	16×35	細磨光澤用 Glossy Finish	適用去抛光、完成。 Suitable for polishing and finishing.	

#### 各式研磨石、抛光石 ABRASIVE STONES, POLISHING STONES

形狀	編號	大小	規格	用途	
APPEARANCE	NUMBER	SIZE	DIMENSION	PURPOSE	
		3	1/8[]寸inch=3.175m/m	細磨光澤用 Glossy Finish	適用去金屬抛光,鋁、不鏽鋼等。 Suitable for metal polishing, aluminum or
	SB	4	5/32()寸inch=3.969m/m		
		5	3/16[]寸inch=4.762m/m		
0		6	7/32[]寸inch=5.556m/m		stainless steel, etc
		7	1/4[]寸inch=6.350m/m		
		3	1/8[]寸inch=3.175m/m	如底小海田	適用去金屬抛光,鋁、不鏽鋼等。 Suitable for metal polishing, aluminum or stainless steel, etc
-		4	5/32[]寸inch=3.969m/m		
1	SB-A	5	3/16[]寸inch=4.762m/m		
		6	7/32[]寸inch=5.556m/m	Glossy Finish	
		7	1/4[]寸inch=6.350m/m		
	SB-B	4B	4×6	細磨光澤用	適用去金屬抛光,鋁、不鏽鋼等。 Suitable for metal polishing, aluminum or
	00-0	5B	5×8	Glossy Finish	stainless steel, etc
	SB-L		2×8.5	細磨光澤用 Glossy Finish	適用去金屬抛光,鋁、不鏽鋼等。 Suitable for metal polishing, aluminum or stainless steel, etc
		20	20 ± 1.5		適用去倒角、毛邊 (軟材質)。 Suitable for film removal, debarring of casting parts (Soft materials).
	SBW	15	15 ± 1.5	重切削用 Medium Finish	
		10	10 ± 1		
		8	8 ± 1		
		6	6 ± 1		適用於去毛邊、細磨 (軟材質), 一般鋅、鋁用。 Suitable for debarring of casting parts and fine finishing (Soft material). Used for Zinc and Aluminum.
		5	4 ~ 5	中切削用 Medium Finish	
		4	3 ~ 4		
		3	2.5 ~ 3		
	SBF	20	20 ± 1.5		適用去抛光、完成 (軟材質)。 輕粗磨、電鍍前表面細磨。 Suitable for polishing and finishing (Soft material). Fine rough grinding, surface fine finishing before electroplating.
		15	15 ± 1.5	輕切削用	
		10	10 ± 1	Fine Finish	
		8	8 ± 1		
		6	6 ± 1	細磨抛光用 Glossy Finish	適用鏡面拋光。 Suitable for most fine finishing.
		5	4~5		
		4	3~4		
		3	2.5 ~ 3		
***	粒狀			細磨光澤用	適用乾式抛光、研磨。
	CHIP			Glossy Finish	Suitable for dry polishing and grinding.

#### 各式研磨石、抛光石 ABRASIVE STONES, POLISHING STONES

形狀	編號	大小	規格	用途	
APPEARANCE	NUMBER	SIZE	DIMENSION	PURPOSE	
		50	50 × 50 or 50 × 40	重切削用 Medium Finish	落田於士周 <b>名</b> ,土千溴,
		40	40 × 40 or 40 × 30		適用於去倒角、去毛邊, 鐵或鋼材之重研磨。
		35	35 × 35 or 35 × 30		
	TABW	30	30 × 30 or 30 × 25		Suitable for film removal, debarring of casting
		25	25 × 25 or 25 × 20		parts, iron or stainless medium finish.
		20	$20\times20$ or $20\times15$	中切削用	
		15	$15\times15$ or $15\times12$		
		10	$10\times10$ or $10\times8$		適用於去毛邊,細磨。
		8	$8 \times 8$ or $8 \times 6$	Medium Finish	
		6	$6 \times 6$ or $6 \times 4$		fine finishing.
200		3	3×3		
		20	$20\times20$ or $20\times15$		
		15	$15\times15$ or $15\times12$		耐磨耗,適用各種材質。
	TAB	10	$10\times10$ or $10\times8$	細磨光澤用	
	IAD	8	$8 \times 8$ or $8 \times 6$	Glossy Finish	Endure for grinding consuming and suitable for all kinds of materials.
		6	$6 \times 6$ or $6 \times 4$		
		3	3×3		
	CABW	30	30×40		適用去倒角、毛邊。
		25	25×30	重切削用 Medium Finish	Suitable for film removal, debarring of
		20	20×25		
		15	15×25		
		10	10×20	中切削用 Medium Finish  Suitable for debarring of casting processing	Suitable for debarring of casting parts and
		8	8×16		
		6	6×12		
		4.5	4.5×9		fine finishing.
	CAB	30	30×40		適用去抛光、完成。 Suitable for polishing and finishing.
		25	25×30		
		20	20×25		
		15	15×25	細磨光澤用	
		10	10×20	Glossy Finish	
		8	8×16		
		6	6×12		
		4.5	4.5×9		
	特殊規格 SPECIAL DIMENSION			重切削用	適用去倒角、毛邊。
				Medium Finish	, , , , , , , , , , , , , , , , , , , ,
				中切削用 Medium Finish	適用去毛邊、細磨。 Suitable for debarring of casting parts and
				細磨光澤用	fine finishing. 適用去抛光、完成。
				Glossy Finish	Suitable for polishing and finishing.
				Ciossy i iilisii	commission bearing and amounts.

#### 塑膠類研磨石

## **PABW**














- ※適用於軟材質之毛邊研磨或輕微拋光
- \*Suitable for soft material's debarring of casting parts, fine finishing and fine polishing,

### PABW-1













#### 陶瓷類研磨石

### **TABW**
















- 1. 適用於鐵或鋼材之重研磨去毛邊
- 2.顏色分白黃綠適用於拋光
- 1. Suitable for debarring of casting, iron or stainless medium finish.
- The color of the stones has white, yellow, and green, which is suitable for polishing.

### TMW















- 1. 適用於去毛邊
- 2. 適用於抛光使用
- 1. Suitable for debarring of casting parts.
- 2. Suitable for polishing.

#### 陶瓷類研磨石


## **CABW**
















- 1.適用於鐵或鋼材之重研磨
- 2. 適用於研磨抛光
- 1. Suitable for iron or stainless medium finish.
- 2. Suitable for grinding polishing.

### **SBW**
















- 1. 適用於去毛邊研磨或倒角
- 2. 適用於鏡面抛光
- 1. Suitable for debarring of casting parts, grinding or film removal.
- 2. Suitable for most fine finishing.

#### 金屬類研磨石


### SB





SB 圓型

SB-A 碟型





SB-L 針型

SB-L 針型

- ※材質分為;鋼珠和不銹鋼珠適用軟金屬拋光如鋁不銹鋼銅鐵等材質

### PBO












- 1.適用於切削研磨
- 1. Suitable for fine grinding.

#### 特殊規格

## EVE













# CHIP







